

## Safety Data Sheet

according to UK REACH Regulation

### SANIT RohrBombe® Pipe Cleaner

Revision date: 15.02.2022

Product code: 3066

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

SANIT RohrBombe® Pipe Cleaner

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Washing and cleaning products (including solvent based products)

##### 1.3. Details of the supplier of the safety data sheet

Company name:	SANIT-Chemie	
	Reinigungsmittel und -geräte GmbH	
Street:	Dieselstr. 38	
Place:	D-74211 Leingarten	
Telephone:	+49 7131 902100	Telefax: +49 7131 404360
e-mail:	info@sanit-chemie.de	
Contact person:	Produktmanagement	Telephone: 07131 90210-20
Internet:	www.sanit-chemie.de	

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Met. Corr. 1; H290  
 Acute Tox. 4; H302  
 Skin Corr. 1A; H314  
 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

###### Hazard components for labelling

potassium hydroxide; caustic potash

Signal word: Danger

###### Pictograms:



###### Hazard statements

H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.

###### Precautionary statements

P260 Do not breathe Aerosol.  
 P264 Wash ... thoroughly after handling.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.

## Safety Data Sheet

according to UK REACH Regulation

### SANIT RohrBombe® Pipe Cleaner

Revision date: 15.02.2022

Product code: 3066

Page 2 of 9

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Cleaning agent, alkaline.

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
1310-58-3	potassium hydroxide; caustic potash			> 25%
	215-181-3	019-002-00-8		
	Acute Tox. 4, Skin Corr. 1A; H302 H314			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-58-3	215-181-3	potassium hydroxide; caustic potash	> 25% %
	oral: ATE = 500 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. Move victim out of danger zone. Do not leave affected person unattended. Change contaminated clothing.

##### After inhalation

Provide fresh air. Medical treatment necessary. Move victim to fresh air. Put victim at rest and keep warm.

##### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

##### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Safety Data Sheet

according to UK REACH Regulation

### SANIT RohrBombe® Pipe Cleaner

Revision date: 15.02.2022

Product code: 3066

Page 3 of 9

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. Water. alcohol resistant foam. Dry extinguishing powder.

###### **Unsuitable extinguishing media**

High power water jet.

##### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

##### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

###### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### **General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

##### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### 6.3. Methods and material for containment and cleaning up

###### **Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

##### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

###### **Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Keep container tightly closed in a cool, well-ventilated place. Keep away from food, drink and animal feedingstuffs.

###### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

###### **Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Wash hands before breaks and after work. Do not eat, drink, smoke or sneeze at the workplace.

###### **Further information on handling**

## Safety Data Sheet

according to UK REACH Regulation

### SANIT RohrBombe® Pipe Cleaner

Revision date: 15.02.2022

Product code: 3066

Page 4 of 9

It is recommended to design all work processes always so that the following is excluded: skin contact. Eye contact.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Unsuitable container/equipment material: Metal. Keep container tightly closed and dry.

##### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

Washing and cleaning products (including solvent based products)

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
1310-58-3	potassium hydroxide; caustic potash			
Worker DNEL, long-term		inhalation	local	1 mg/m <sup>3</sup>

#### PNEC values

CAS No	Substance	Environmental compartment	Value
1310-58-3	potassium hydroxide; caustic potash		

### 8.2. Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves are to be worn: CR (polychloroprenes, Chloroprene rubber).

## Safety Data Sheet

according to UK REACH Regulation

### SANIT RohrBombe® Pipe Cleaner

Revision date: 15.02.2022

Product code: 3066

Page 5 of 9

NBR (Nitrile rubber). Thickness of glove material: 0,65 mm Breakthrough times and swelling properties of the material must be taken into consideration. penetration time (maximum wearing period): 8h (EN ISO 374 )

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist generation. Suitable respiratory protection apparatus:

Full-face mask or mouthpiece with particulate filter: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 15 times the exposure limit.

P3 filter: up to a max. of

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability	
Solid/liquid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	Non-flammable.
Auto-ignition temperature:	not applicable
Decomposition temperature:	not determined
pH-Value (at 20 °C):	14
Water solubility:	easily soluble
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	1,45 g/cm <sup>3</sup>
Relative vapour density:	not determined

### 9.2. Other information

#### Information with regard to physical hazard classes

Self-ignition temperature

Solid:	not applicable
Gas:	not applicable

Oxidizing properties

Not oxidising.

#### Other safety characteristics

Evaporation rate:	not determined
Solid content:	not determined
Viscosity / dynamic:	not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive to metals. Possibility of hazardous reactions.

### 10.2. Chemical stability

## Safety Data Sheet

according to UK REACH Regulation

### SANIT RohrBombe® Pipe Cleaner

Revision date: 15.02.2022

Product code: 3066

Page 6 of 9

The product is stable under storage at normal ambient temperatures.

#### **10.3. Possibility of hazardous reactions**

Exothermic reaction with: Acid, Peroxides, Oxidising agent. Acid, concentrated.

#### **10.4. Conditions to avoid**

none

#### **10.5. Incompatible materials**

Metal. Keep away from: Acid, Oxidising agent, Peroxides. Slowly corrodes aluminium and zink under hydrogen evolution.

#### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### **11.1. Information on hazard classes as defined in GB CLP Regulation**

##### **ATEmix calculated**

ATE (oral) 1000,0 mg/kg

#### **Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1310-58-3	potassium hydroxide; caustic potash				
	oral	ATE 500 mg/kg			

#### **Irritation and corrosivity**

Causes serious eye damage.

#### **Sensitising effects**

no danger of sensitization.

#### **Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### SECTION 12: Ecological information

#### **12.1. Toxicity**

The product is not: Ecotoxic.

#### **12.2. Persistence and degradability**

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

#### **12.3. Bioaccumulative potential**

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.

#### **12.4. Mobility in soil**

The product has not been tested.

#### **12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## Safety Data Sheet

according to UK REACH Regulation

### SANIT RohrBombe® Pipe Cleaner

Revision date: 15.02.2022

Product code: 3066

Page 7 of 9

#### 12.7. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

##### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

##### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	UN1814
<b>14.2. UN proper shipping name:</b>	POTASSIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8



Classification code:	C5
Limited quantity:	1 L
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

#### Other applicable information (land transport)

E2

#### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN1814
<b>14.2. UN proper shipping name:</b>	POTASSIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8



Special Provisions:	-
Limited quantity:	1 L
EmS:	F-A, S-B

## Safety Data Sheet

according to UK REACH Regulation

### SANIT RohrBombe® Pipe Cleaner

Revision date: 15.02.2022

Product code: 3066

Page 8 of 9

#### Other applicable information (marine transport)

E2

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 1814
<b>14.2. UN proper shipping name:</b>	POTASSIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8



Special Provisions:	A3 A803
Limited quantity Passenger:	0.5 L
IATA-packing instructions - Passenger:	851
IATA-max. quantity - Passenger:	1 L
IATA-packing instructions - Cargo:	855
IATA-max. quantity - Cargo:	30 L

#### Other applicable information (air transport)

E2

: Y840

#### 14.6. Special precautions for user

Warning: strongly corrosive.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

#### Additional information

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

#### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods



## Safety Data Sheet

according to UK REACH Regulation

### SANIT RohrBombe® Pipe Cleaner

Revision date: 15.02.2022

Product code: 3066

Page 9 of 9

IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H302	Calculation method
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H318 Causes serious eye damage.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*